## Attestation of TA-LUFT VDI2440



Attestation No.:278941 Rev.1 Ref. report No. :278940 Rev.1

: Antiwear (Suzhou) Industrial Intelligent Technology Co., Ltd. Manufacturer

Postal address of manufacturer: No. 988, Yuexiu Road, Fenhu Economic Development Zone,

PC: 215200, Suzhou City, Jiangsu Province, P.R. China

#### **Tested Product Description:**

Item	SSBBJ-10S15BW-LT-F-D Ball Valve	
Valve size (DN)	10"	
Pressure rating	Class1500	
Stem size	Ф100 mm	
Body/bonnet material	ASTM A351 CF3M	
Seal material	Graphite + EPDM O-Ring	
Valve assembly drawing no.	SSBBJ-10S15BW-LT-F-D Rev.A1	

#### **Test Condition:**

Testing principles are according to Technical Instructions on Air Quality Control-TA Luft (July 2002) and VDI guideline 2440 (November 2000) and the key test conditions have been specified according to the following information:

Test Fluid	Helium		
Test Temperature(°C)	-196°C	Room Temperature	200℃
Test Pressure(bar):	248.2	248.2	178.3
No. of Switching Cycles	205		
Specific Leakage Rate λ mbar•l/(s•m)		λ≤10 <sup>-4</sup>	

Hereby, It is certified that the tested valve of the above mentioned company have been tested and the test results are accepted according to above mentioned specification. Details could be taken from the associated report with the No.:278940 Rev.1

Shanghai, July 9, 2022 (Place, date)

**Guilin Chen** TÜV SÜD Industrie Service GmbH

Westendstr. 199 80686 München Germany

TÜV SÜD Industrie Service GmbH Shanghai Office Floor 3-13, No.151, Heng Tong Road, Shanghai 200070 P. R. China

Tel.: +86 21 6141-0123 Fax: + 86 21 6140-8600

# TÜV SÜD Industrie Service GmbH Shanghai Office

Inspection-No.: 278940 Rev.1



Choose certainty.
Add value.

## TÜV SÜD Industrie Service GmbH Shanghai Office

#### REPORT OF THIRD PARTY INSPECTION

Client: Antiwear (Suzhou) Industrial Intelligent Technology Co., Ltd.

No.988, Yuexiu Road, Fenhu Economic Development Zone,

PC: 215200, Suzhou City, Jiangsu Province, P. R. China

Contact Person: Ms. Wang Chunjing

Manufacturer Name: Antiwear (Suzhou) Industrial Intelligent Technology Co.,

Ltd.

No.988, Yuexiu Road, Fenhu Economic Development

Zone.

PC: 215200, Suzhou City, Jiangsu Province, P. R. China

Inspection Place: Antiwear (Suzhou) Industrial Intelligent Technology Co.,

Ltd.Test Laboratory

Contact Person: Ms. Wang Chunjing

Inspection Date: 2021-07-12~23

Inspector: Chen Guilin

Quality System Status: Acceptable

Order Number: 7482351137

No. 151, Heng Tong Road Shanghai 200070, P.R.China Telefon: +86 21 6141 0123

Telefax: +86 21 6140 8600 Internet: www.tuv-sud.cn E-mail: guilin.chen@tuvsud.com

Excerpts from this document August only be reproduced and used for advertising purposes with the express written approval of TÜV SÜD Industrie Service GmbH

The test results refer exclusively to the units under test.



#### 1. Witness revelant tests

#### **Nature Of Inspection:**

This is to report that we, TÜV SÜD Industry Service GmbH Shanghai Office on 2021-07-12~23 at the request of Antiwear (Suzhou) Industrial Intelligent Technology Co., Ltd. conducted the following inspection:

#### 1. Witness relevant tests

#### 1.1 General Information

Antiwear (Suzhou) Industrial Intelligent Technology Co., Ltd. commissioned us to witness valve fugitive emission test according to TA-LUFT 2002, Sec. 5.2.6.3 & 5.2.6.4, guideline VDI 2440 Nov.2000, Sec. 3.3.1.3 & 3.3.1.4 to verify whether the test result can meet the specific leakage rate according to the German Clean Air Act( $\lambda \le 10$ -4 mbar-I/(s-m)) and for the test valve the leakage is  $\le 3.14 \times 10^{-5}$  mbar-I/s.

#### 1.2Tested Product Description:

The test samples have been chosen and the details of test samples can be seen in the following information. Details of the test sample can be seen in the annex.

10"
Class1500
Ф100 mm
ASTM A351 CF3M
Graphite + EPDM O-Ring
SSBBJ-10S15BW-LT-F-D Rev.A1

#### 1.3Test Condition:

The test has been referred to the method of ISO15848-2015 annex A and carried out ac cording to the requirements of the customer. The key test conditions have been specified according to the following information:

Test Fluid		Helium	
Test Temperature(°C)	Room Temperature	-196℃	200℃
Test Pressure(bar):	248.2	248.2	178.3
No. of Switching Cycles		205	

#### 1.4Visual and dimensional check of the test valve:

The test valve was chosen at random by the manufacturer in its workshop and submitted to the laboratory. The visual and dimensional check was performed according to drawing No.: SSBBJ-10S15BW-LT-F-D Rev.A1 and results found satisfactory.

#### 1.5Preparation of the test valve

Before the fugitive emission test, the test valve was hydrostatic tested under 372bar, the test showed no visible leakage or deformation. Then the valve was cleaned and dried.



#### 1.6Calibration of test instrument

The test instrument was turned on, warmed up according to the requirements of the equipment manufacturer and calibrated with the standard.

#### 1.7Fugitive emission test and measurement

The test valve was mounted on a test rig with the stem positioned vertical. And the fugitive emission test is carried out according to above mentioned requirements.

#### 1.7.1Preliminary tests at room temperature

The valve was pressurized with test fluid Helium to 248.2bar according to manufacturer's requirements in the partly opened position, the temperature is measured and recorded as room temperature.

The test results are as follows and details can be seen in the annex:

#### Test results of preliminary tests

ltem	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	4.2x10 <sup>-7</sup>

### 1.7.2 Mechanical cycle test at the room temperature

A total of 50 mechanical cycles was performed on the test valve while it was kept pressurized under a differential pressure of 248.2bar according to the manufacturer's requirements at room temperature. The pressure should be improved and kept at 248.2bar to measure the leakage, and then the leakage from the stem seal is measured with following results and details can be seen in the annex:

#### Test results of final tests

Item	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	9.5x10 <sup>-7</sup>

#### 1.7.3 Static test at the selected test temperature

The test valve was cooled till to -196℃. The test valve was kept pressurized with 248.2bar according to manufacturer's requirements at the temperature between -196 and -206℃. The leakage from the stem seal were measured with following results:

#### Test results of final tests

Item	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	1.5x10 <sup>-6</sup>

### 1.7.4 Mechanical cycle test at the selected temperature

A total of 50 mechanical cycles was performed on the test valve while it was kept pressurized with 248.2bar according to manufacturer's requirements at the temperature between -196 and -206°C. The leakage from the stem seal was measured with following results:

#### Test results of final tests

Item	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	4.5x10 <sup>-6</sup>

#### The test results meet the requirements of VDI2440 Nov.2000.

#### 1.7.5 Intermediate static test at the room temperature

The test valve returned to the room temperature naturally, without artificial cooling/heating. After the temperature was stabilized at room temperature. Then the stem seal leakage under 248.2bar according to manufacturer's requirements was measured using the same method as mentioned above, with following test result:



#### Test results of final tests

Item	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	1.8x10 <sup>-6</sup>

## 1.7.6 Repeat of mechanical cycle test at the room temperature

A total of 50 mechanical cycles was performed on the test valve while it was kept pressurized with 248.2bar according to manufacturer's requirements at room temperature. The leakage from the stem seal was measured with following results:

#### Test results of final tests

ltem	Required Value	Actual Value
stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	3.2x10 <sup>-6</sup>

#### 1.7.7 Repeat of static test at the selected test temperature

The test valve was cooled till to -196°C. The test valve was kept pressurized with 248.2bar according to manufacturer's requirements at the temperature between -196 and -206°C. The leakage from the stem seal were measured with following results:

#### Test results of final tests

Item	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	5.3x10 <sup>-6</sup>

#### 1.7.8 Repeat of Mechanical cycle test at the selected temperature

A total of 50 mechanical cycles was performed on the test valve while it was kept pressurized with 248.2bar according to manufacturer's requirements at the temperature between -196 and -206°C. The leakage from the stem seal was measured with following results:

#### Test results of final tests

Item	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	7.3x10 <sup>-6</sup>
The test results meet the requirements	of VDI2440 Nov.2000.	

#### 1.7.9 Intermediate static test at the room temperature

The test valve returned to the room temperature naturally, without artificial cooling/heating. After the temperature was stabilized at room temperature, The leakage from the stem seal was measured with following results while it was kept pressurized with 248.2bar:

#### Test results of final tests

Item	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	7.3x10 <sup>-6</sup>

#### 1.7.10Final test at the room temperature

A total of 5 mechanical cycles was performed on the test valve while it was kept pressurized with 248.2bar. The leakage from the stem seal under 248.2bar according to manufacturer's requirements was measured with following results:

Test results of final tests at room temperature (test 6)

t			13313
- [			
	Item	Required Value	Actual Value



Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	7.2x10 <sup>-6</sup>
The test results meet the requirements	of VDI2440 Nov.2000.	

#### 1.7.11Preliminary tests at room temperature

The valve was pressurized with test fluid Helium to 248.2bar according to manufacturer's requirements in the partly opened position, the temperature is measured and recorded as room temperature.

The test results are as follows and details can be seen in the annex:

#### Test results of preliminary tests

Item	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	7.2x10 <sup>-6</sup>

#### 1.7.12 Mechanical cycle test at the room temperature

A total of 50 mechanical cycles was performed on the test valve while it was kept pressurized under a differential pressure of 248.2bar according to the manufacturer's requirements at room temperature. The pressure should be improved and kept at 248.2bar to measure the leakage, and then the leakage from the stem seal is measured with following results and details can be seen in the annex:

#### Test results of final tests

Item	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	7.3x10 <sup>-6</sup>

#### 1.7.13 Static test at the selected test temperature

The test valve was heated till to 200°C. The test valve was kept pressurized with 178.3bar according to manufacturer's requirements at the temperature between 190 and 210°C. The leakage from the stem seal were measured with following results:

#### Test results of final tests

Item	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	8.2x10 <sup>-6</sup>

#### 1.7.14 Mechanical cycle test at the selected temperature

A total of 50 mechanical cycles was performed on the test valve while it was kept pressurized with 178.3bar according to manufacturer's requirements at the temperature between 190 and 210°C. The leakage from the stem seal was measured with following results:

#### Test results of final tests

Item	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	7.9x10 <sup>-6</sup>

#### The test results meet the requirements of VDI2440 Nov.2000.

#### 1.7.15 Intermediate static test at the room temperature

The test valve returned to the room temperature naturally, without artificial cooling/heating. After the temperature was stabilized at room temperature. Then the stem seal leakage under 248.2bar according to manufacturer's requirements was measured using the same method as mentioned above, with following test result:

#### Test results of final tests

Item	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	8.8x10 <sup>-6</sup>



The test results meet the requirements of VDI2440 Nov.2000.

#### 1.7.16 Repeat of mechanical cycle test at the room temperature

A total of 50 mechanical cycles was performed on the test valve while it was kept pressurized with 248.2bar according to manufacturer's requirements at room temperature. The leakage from the stem seal was measured with following results:

Test results of final tests

	Tool Tooling of Miles 10010	
ltem	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	1.2x10 <sup>-5</sup>

The test results meet the requirements of VDI2440 Nov.2000.

The stem has been adjusted once time.

#### 1.7.17 Repeat of static test at the selected test temperature

The test valve was heated till to 200°C. The test valve was kept pressurized with 178.3bar according to manufacturer's requirements at the temperature between 190 and 210°C. The leakage from the stem seal were measured with following results:

Test results of final tests

Item	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	6.3x10 <sup>-6</sup>

The test results meet the requirements of VDI2440 Nov.2000.

#### 1.7.18 Repeat of Mechanical cycle test at the selected temperature

A total of 50 mechanical cycles was performed on the test valve while it was kept pressurized with 178.3bar according to manufacturer's requirements at the temperature between 190 and 210°C. The leakage from the stem seal was measured with following results:

Test results of final tests

Item	Required Value	Actual Value
tem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	7.3x10 <sup>-6</sup>

#### 1.7.19 Intermediate static test at the room temperature

The test valve returned to the room temperature naturally, without artificial cooling/heating. After the temperature was stabilized at room temperature, The leakage from the stem seal was measured with following results while it was kept pressurized with 248.2bar:

Test results of final tests

Item	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	7.8x10 <sup>-6</sup>

#### 1.7.20Final test at the room temperature

A total of 5 mechanical cycles was performed on the test valve while it was kept pressurized with 248.2bar. The leakage from the stem seal under 248.2bar according to manufacturer's requirements was measured with following results:

Test results of final tests at room temperature (test 6)

Item	Required Value	Actual Value
Stem leakage (mbar.l/s)	≤3.14x10 <sup>-5</sup>	7.2x10 <sup>-6</sup>

#### 1.7.21 Post test examination

# TÜV SÜD Industrie Service GmbH Shanghai Office



Inspection-No.: 278940 Rev.1

After all the above tests completed, the test valve was disassembled and all sealing components visually examined. It is found that no notable wear and any other significant observations.

We, hereby declare that the inspector has checked test valve and witnessed the fugitive emission test on the tested valve. The test results are as mentioned in this report.

Annex:

Annex 1: Copy of Drawing No.: SSBBJ-10S15BW-LT-F-D Rev.A1;

Annex 2: Test Report of Fugitive Emission Test No. ATW-DCDRZ-01;

Inspected by: Chen Guilin

Date of issue: July 9, 2022